



Section 1: Identification

Product identifier

Product name: SL-25, SL-35 (Gray, Light gray, Sandstone, Black)

Recommended use of the product and restriction on use

Relevant identified uses: Use for sealant and adhesive applications

Uses advised against: Vertical and overhead applications. All uses not specified in this section or in section 7.3 Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Mexico
ADHESIVOS Y SELLADORES FIBO
601 General de Ley Personas Morales
Angel Leano 480, Col. Los Robles
Zapopan, Jalisco, Mexico
Phone Number
Fibo.info@outlook.com

Emergency telephone number

United States

NFOTRAC 1-800-535-5053

International

INFOTRAC 1-352-323-3500

Section 2: Hazard(s) Identification

GHS classification

Acute Toxicity - Oral - Category 4

Serious Eye Damage/Eye Irritation - Category 2A

Carcinogenicity - Category 1A

Reproductive Toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1 (central nervous system)

Specific Target Organ Toxicity - Repeated Exposure - Category 1 (respiratory system)

Specific Target Organ Toxicity - Repeated Exposure - Category 2 (bladder)

Label elements

Hazard

GHS classification:

Acute Toxicity - Oral - Category 4

Serious Eye Damage/Eye Irritation - Category 2A

Carcinogenicity - Category 1A

Reproductive Toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1 (central nervous system)

Specific Target Organ Toxicity - Repeated Exposure - Category 1 (respiratory system)

Specific Target Organ Toxicity - Repeated Exposure - Category 2 (bladder)



Specific Target Organ Toxicity - Repeated Exposure - Category 2 (bladder)

Label elements

Hazard

Pictograms:





Signal word

Danger

Hazard statements:

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P307+P311 If exposed: Call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P301+P330 IF SWALLOWED: Rinse mouth.

P314 Get medical advice/attention if you feel unwell.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see product Safety Data Sheet).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified:

Oral 71.91% of the mixture consists of ingredients of uknown acute toxicity.



Section 3: Composition / Information on ingredients

| Identification | Name | Weight % |
|--------------------------|-----------------------|----------|
| CAS number 1317-65-3 | Calcium carbonate | 30-55 |
| CAS number 25322-69-4 | Prolpropylene glycol | 15-25 |
| CAS number 2768-02-7 | Trimethoxyvinylsilane | 1-5 |
| CAS number 2768-02-7 | Titanium dioxide | 0.5-1 |
| CAS number 818-08-6 | Dibutylin oxide | 0.1-1 |

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as atrade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

Section 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for brea thing Call a POISON CENTER or doctor/physician if you feel unwell.

After skin contact:

IF ON SKIN Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After swallowing:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting.

Most important symptoms and ellects, both acute and delayed Acute symptoms and ellects:

Harmful if swallowed. Causes serious eye irritation.

Delayed symptoms and effects:

May cause cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to or gans through prolonged or repeated exposure.

Immediate medical attention and special treatment Specific treatment:

Specific treatment:

Traet symptomatically and supportively

Notes for the doctor:

Not determined or not applicable



Section 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use carbon dioxide, regular dry chemical, regular foam or water.

Unsuitable extinguishing media:

Do not use high-pressure water streams.

Specific hazards during fire-fighting:

Combustion: Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Heating may cause an explosion. Containers may rupture or explode.

Special protective equipment for firefighters:

Firefighters should wear full face, self contained breathing apparatus and impervious protective cloathing. Firefighters should avoid inhaling any combustion products.

Special precautions:

Keep away from sources of ignition - No smoking Move material from fire area if it can be done without risk Avoid inhalation of vapors or combustion by-products. Dike for later disposal. Stay upwind and keep out of low areas.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear personal protective clothing and equipment, see Section 8.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not flush into sanitary sewer systems, drains or surface water. Avoid release to the environment.

Methods and material for containment and cleaning up:

Keep unnecessary people away, isolate hazard area, and deny entry. In case of spillage, stop the flow of material and block any potential routes to water systems. Only personnel trained for the hazards of this material should perform clean up and disposal.

Reference to other sections:

See Section 12 for additional Ecological Information.

Section 7: Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Keep away from all ignition sources. Avoid contact with eyes and skin. Do not eat, drink or smoke when using this product. Always wear recommended personal protective equipment. Wear personal protective clothing and equipment, see Section 8. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities:

Store locked up. Store in a cool dry place. Store in a well-ventilated area. Keep separated from incompatible substances. Keep container tightly closed. Empty containers may contain product residue. Store and handle in accordance with all current regulations and standards. Avoid contact with temperatures above 120 C. Incompatible materials include strong oxidizers and acids.

Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.



Section 8: Exposure controls / personal protection

Component Exposure limit values:

| Calcium carbonate | 1317-65-3 |
|----------------------|--|
| NIOSH | 10 mg/m3 TWA total dust; 5mg/m3 TWA respirable dust |
| OSHA (US) | 15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction |
| Mexico | 10 mg/mg3 TWA LMPE-PPT; 20 mg m3 STEL [LMPE-CT] |
| Titanium dioxide | 13463-67-7 |
| ACGIH: | 10 mg/m3 TWA |
| OSHA (US): | 15 mg/m3 TWA total dust |
| Mexico | 10 mg/m3 TWA LMPE-PPT (as Ti); 20 mg/m3 STEL [LMPE-CT] (as Ti) |
| Dibutyl tin | 818-08-6 |
| ACGIH: | 0.1 mg/m3 TWA (as Sn); 0.2 mg/m3 STEL (as Sn) |
| NIOSH: | 0.1 mg/m3 TWA (except Cyhexatin, as Sn) |

Appropriate engineering controls:

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system.

Individual Protection Measures, such as Protective Equipement

Personal protection equipment Eye and face protection:

Wear splash-resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin and body protection:

Wear appropriate chemical resistant clothing.

Glove recommendation:

Wear appropiate chemical resistant gloves.

Respiratory protection:

Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.



Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Liquid paste, various colors |
|-----------------------|------------------------------|
| Odor | Mild |
| Odor threshold | Not available |
| pН | Not available |
| Melting point | Not available |
| Initial boiling point | Not applicable |
| Flash point | Not available |
| Evaporation rate | Not applicable |
| Flammability | Not available |
| Upper flammability | Not available |
| Lower flammability | Not available |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Density | Not available |
| Specific gravity | 1.4-1.6 |
| Solubilities | Slightly soluble |
| Partition | Not available |
| Self ignition temp. | Not available |
| Decomposition temp. | Not available |
| Dynamic viscosity | Not applicable |
| Kinematic viscosity | Not applicable |
| Explosive properties | Not available |
| Oxidizing properties | Not available |

Other information:

| VOC (weight %) | 8g/l when mixed with water |
|----------------|----------------------------|
|----------------|----------------------------|



Section 10: Stability and reactivity

Reactivity:

no reactivity hazard is expected.

Chemical stability:

Stable at normal temperatures and pressure.

Possibility of hazardous reactions:

Will not polymerize.

Conditions to avoid:

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials. Avoid contact with temperatures above 120 C.

Incompatible materials:

Strong acids. Strong oxidizer.

Hazardous decomposition products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Section 11: Toxicological Information

Acute and Chronic Toxicity

Oral 1261.241mg

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Titanium dioxide (Gray, Beige (13463-67-7)

Oral LD50 Rat >10000 mg/kg

Organosilane (2768-02-7)

Oral LD50 Rat 7340 µL/kg

Dibutyltin oxide (818-08-6)

Oral LD50 Rat 44.9 mg/kg

Information on toxicological effects:

Inhalation

May be harmful if inhaled.

Skin Contact

May cause skin irritation.

Eye Contact

Causes serious eye irritation.

Ingestion

Harmful if swallowed.



Information on Likely Routes of Exposure

Inhalation

May be harmful if inhaled.

Ingestion

Harmful if swallowed.

Skin Contact

May cause irritation of the skin. May cause irritation, redness, itching and burning.

Eye Contact

Causes serious eye irritation.

Immediate Effects

Skin Irritation, eye irritation

Delayed Effects

May cause cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure.

Medical Conditions Aggravated by Exposure

Skin disorders, eye disorders

Irritation/Corrosivity Data

Causes serious eye irritation

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Germ Cell Mutagenicity

No information available for the product. The following components are associated with reproductive toxicity:

Dibutyl tin (CAS number: 818 - 08 6)

Carcinogenicity

Titanium dioxide 13463-67-7

ACGIH: A4 - Not Classifiable as a Human Carcinogen

IARC: Monograph 93 [2010]; Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans)) DFG: Category 3A (could be carcinogenic for man ;inhalable fraction with the exception of ultra small particles)

OSHA: Present

NIOSH: potential occupational carcinogen

Results of a DuPont epidemiology study showed that employees who had been exposed to titanium dioxide pigments were at no greater risk of developing lung cancer than were employees who had not been exposed to titanium dioxide pigments. No pulmonary fibrosis was found in any of the employees and no associations were observed between titanium dioxide pigment exposure and chronic respiratory disease or lung abnormalities. Based on the results of this study, DuPont concluded that titanium dioxide pigment will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace.



Reproductive Toxicity

May damage fertility or the unborn child. The following components are associated with reproductive toxicity:

Dibutyl tin (CAS number: 818 - 08 6)

Specific Target Organ Toxicity - Single Exposure

The following component is associated with STOT-SE (central nervous system):

Dibutyl tin (CAS number: 818 - 08 6)

Specific Target Organ Toxicity - Repeated Exposure

The following component is associated with STOT-RE (respiratory):

Dibutyl tin (CAS number: 818 - 08 6)

Aspiration Hazard

No information available for the product.

Section 12: Ecological Information

Ecotoxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability

No information available for the product.

Bioaccumulation

No information available for the product.

Section 13: Disposal Considerations

Disposal methods:

Dispose in accordance with all applicable federal, state/regional, and local laws and regulations.

Component Waste Numbers

The US EPA has not published waste numbers for this product's components.

Disposal of Contaminated Packaging:

Dispose of properly. Recycle if possible.

Section 14: Transport Information

United States Transportation of dangerous goods (49 CFR DOT)

| UN number | Not regulated |
|-------------------------------|---------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |



| Environmental hazards | None |
|------------------------------|------|
| Special precautions for user | None |

International Maritime Dangerous Goods (IMDG)

| UN number | Not regulated |
|-------------------------------|---------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN number | Not regulated |
|-------------------------------|---------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

TDG Information:

Not regulated as dangerous goods.

Section 14: Transport Information

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Carcinogenicity; Acute toxicity; Reproductive Toxicity; Serious Eye Damage/Eye Irritation; Specific Target Organ Toxicity

U.S. State Regulations

| Component | Name | CA | MA | MN | NJ | PA |
|-------------------|------------|----|-----|-----|-----|-----|
| Calcium carbonate | 1317-65-3 | No | Yes | Yes | Yes | Yes |
| Titanium dioxide | 13463-67-7 | No | Yes | Yes | Yes | Yes |



| Component | CAS | US | CA | EU | AU | PH | JP | KR | CN | NZ |
|-------------------|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | |
| Calcium carbonate | 1317-65-3 | Yes | NSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |
| Organosilane | 2768-02-7 | Yes | NSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |
| Titanium oxide | 13463-67-7 | Yes | NSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |
| Dibutylin oxide | 818-08-6 | Yes | NSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |

California Proposition 65:

WARNING: Cancer and Reproductive Harm - www.P65Warning.ca.gov.

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL.

Dibutyltin Oxide 818-08-6 1%

Section 16: Other Information

Abbreviations and Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Road Transport

AU: Australia CA: Canada

CAS: Chemical Abstracts Service

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

CN: China

CPR: Controlled Products Regulations
DFG: Deutsche Forschungsgemeinschaft
DOT: Department of Transportation
DSL: Domestic Substances List

EEC: European Economic Community ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

EPA: Environmental Protection Agency

EU: European Association

IARC: International Agency for Reach on Cancer IMDG: International maritime dangerous goods code IATA: International Air Transport Association JP: Japan



COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon Know: Octanol/water partition coefficient

KR: Korea

LEL: Lower Explosive Limit UEL: Upper Explosive Limit

NIOSH: National Institute for Occupational Safety and Health Administration

PH: Philippines

RCRA: Resource Conservation and Recovery Act OSHA: Occupational Safety and Health Administration

RID: European Rail Transport

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Transportation of Dangerous Goods TSCA: Toxic Substances Control Act

TWA: Time Weighted Average

US: United States

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-1-0

Initial preparation date: 06/27/18

Version #: 2

Revision Date: 06/29/22

Calle Jalisco #131 Col. El Mante Zapopan, Jalisco, Mex. 4535 (33) 18 45 15 97

